

CAAs, TAAAs, Aortic Arch Aneurysms or Dissections With Fenestrated/Branched Stent Graft

NCT02089607

| | |
|------------|----------------------------|
| Status | RECRUITING |
| Phase | Not Applicable |
| Sponsor | Baylor College of Medicine |
| Enrollment | 760 participants |

Key Eligibility Criteria

Inclusion (10)

- Thoracoabdominal aortic aneurysm with a diameter \geq 5.5 cm or 2 times the normal aortic diameter.
 - Aneurysm with a history of growth \geq 0.5 cm per year.
 - Saccular aneurysms deemed at significant risk for rupture based upon physician interpretation.
 - Presence of concomitant thoracoabdominal and aortic arch aneurysm meeting one of the above-mentioned criteria.
 - Presence of thoracoabdominal aortic aneurysm meeting one of the above-mentioned criteria with unilateral or bilateral common iliac artery aneurysm with diameter \geq 3.0-cm or saccular morphology with no suitable landing zone proximal to iliac bifurcation.
- ... and 5 more (see full listing online)

Exclusion (20)

- Less than 18 years of age
 - Unwilling to comply with the follow-up schedule
 - Inability or refusal to give informed consent by the patient or a legally authorized representative
 - Pregnant or breastfeeding
 - Life expectancy $<$ 2 years
- ... and 15 more (see full listing online)

Locations (3 total)

Mayo Clinic, Rochester, Minnesota, United States
Baylor College of Medicine, Houston, Texas, United States
University of Texas Health Science Center at Houston, Houston, Texas, United States