

Development Of Neuroimaging Methods To Assess The Neurobiology Of Addiction

NCT02535702

Status	RECRUITING
Phase	Not Applicable
Sponsor	National Institute on Alcohol Abuse and Alcoholism (NIAAA)
Enrollment	192 participants

Key Eligibility Criteria

Inclusion (3)

- Eighteen years or older.
- Ability to provide written informed consent as determined by physical examination and verbal communication. Capacity to consent will be determined by those obtaining the informed consent.
- Willingness to abstain from drug use on scheduled testing days.

Exclusion (13)

- Positive urine pregnancy test in females.
- Presence of ferromagnetic objects in the body that are contraindicated for MRI of the head (including but not limited to pacemakers or other implanted electrical devices, brain stimulators, some types of dental implants, aneurysm clips, metallic prostheses, permanent eyeliner, implanted delivery pump, or shrapnel fragments) or fear of enclosed spaces as determined by the self-report checklist.
- Claustrophobia.
- Body weight $\gt 550$ lbs, which is the weight limit of the MR scanner.
- Current DSM-5 diagnosis of a psychiatric disorder (other than nicotine/caffeine use disorders) as determined by history and clinical exam including substance use disorder, alcoholism and alcohol dependence. Past history of a mental disorder as defined by DSM-IV or DSM-5 will be excluded only if it was severe enough as to require hospitalization (any length), or chronic medication management (more than 4 weeks), or that could impact brain function at the time of the study. Subjects receiving psychotherapy may be included in the study.

... and 8 more (see full listing online)

Locations (1 total)

National Institutes of Health Clinical Center, Bethesda, Maryland, United States