

In-clinic Endoscopic Polypectomy for Chronic Sinusitis With Nasal Polyps

NCT02975310

Status	RECRUITING
Phase	Not Applicable
Sponsor	Ottawa Hospital Research Institute
Enrollment	140 participants

Key Eligibility Criteria

Inclusion (7)

- Age 18 years or older
- Diagnosis of chronic rhinosinusitis with polyps requiring surgical treatment after having been treated with medical therapy as designated by the Canadian clinical practice guidelines for acute and chronic sinusitis. 15
- Bilateral nasal polyps present of Grade e 2 on each side as determined by the Lildholdt scale score measured by nasal endoscopy at the screening visit.
- Must have nasal blockage score greater than or equal to 2 on the sinonasal outcome test SNOT-22 at the screening visit.
- Must have an American Society of Anesthesiologists physical status PS3 classification or less.

... and 2 more (see full listing online)

Exclusion (21)

- Women who are pregnant or breast feeding as per patient's report
- Patients with hyperplastic polyps or polyps large enough that they result in external nasal deformity
- Facial pain/pressure score higher than 2 on the sinonasal outcome test SNOT-22 at the screening visit.
- History of any surgical procedure that prevents the ability to accurately grade the nasal polyps
- Participants who will not be able to complete the follow-up appointments/evaluations

... and 16 more (see full listing online)

Locations (4 total)

Vancouver General Hospital, Vancouver, British Columbia, Canada
St. Joseph's Hospital London, London, Ontario, Canada
Ottawa Hospital Research Institute, Ottawa, Ontario, Canada
... and 1 more locations