

# Compassionate Use of Domperidone for Refractory Gastroparesis

NCT04699591

---

<b>Status</b>	RECRUITING
<b>Phase</b>	Not Applicable
<b>Sponsor</b>	Jose Cocjin
<b>Enrollment</b>	20 participants

## Key Eligibility Criteria

---

### Inclusion (11)

- Male or female
- Age 12 - 21
- Symptoms or manifestations secondary to GERD (e.g., persistent esophagitis, heartburn, upper airway signs or symptoms or respiratory symptoms), gastrointestinal motility disorders such as nausea, vomiting, severe dyspepsia or severe chronic constipation that are refractory to standard therapy.
- Patients must have a comprehensive evaluation to eliminate other causes of their symptoms.
- Patient has signed informed consent for the administration of domperidone that informs the patient of potential adverse events including:  
... and 6 more (see full listing online)

### Exclusion (7)

- History of, or current, arrhythmias including ventricular tachycardia, ventricular fibrillation and Torsade des Pointes. Patients with minor forms of ectopy (PACs) are not necessarily excluded.
- Clinically significant bradycardia, sinus node dysfunction, or heart block. Prolonged Tc (QTc) > 450 milliseconds for males, QTc > 470 milliseconds for females).
- Clinically significant electrolyte disorders.
- Gastrointestinal hemorrhage or obstruction
- Presence of a prolactinoma (prolactin-releasing pituitary tumor).  
... and 2 more (see full listing online)

## Locations (1 total)

---

Children's Mercy Hospitals and Clinics, Kansas City, Missouri, United States