

Personalized Addition of Recombinant LH in Ovarian Stimulation

NCT04719000

Status	RECRUITING
Phase	Phase 4
Sponsor	Fundación Santiago Dexeus Font
Enrollment	120 participants

Key Eligibility Criteria

Inclusion (6)

- Able and willing to sign the Patient Consent Form and adhere to study visitation schedule.
- e 35years d40 years old.
- AFC e5 and or AMH e1.2 ng/mL.
- \<4 or 4-9 oocytes retrieved in a previous IVF/ICSI cycle with a starting dose of d225 IU with any gonadotropin under a GnRH antagonist protocol.
- Up to 3 previous ovarian stimulation cycles with a starting dose of d225 IU in which dose adjustments during stimulation did not exceed 300 IU.

... and 1 more (see full listing online)

Exclusion (13)

- Poor ovarian responders according to the Bologna criteria.
- Polycystic ovary syndrome (PCOS) patients according to the Rotterdam criteria.
- AFC\>20.
- Age \>40 or \<35 years old.
- Women with \>10 oocytes retrieved in a previous IVF/ICSI cycle with 150-225 IU starting dose.

... and 8 more (see full listing online)

Locations (1 total)

Hospital Universitario Quiron Dexeus, Barcelona, Spain