

Ketamine Treatment of Youth Suicide Attempters

NCT04763343

Status	RECRUITING
Phase	Phase 3
Sponsor	Tatiana Falcone, MD
Enrollment	60 participants

Key Eligibility Criteria

Inclusion (3)

- Subjects must be 14 to 30 years of age
- Subjects must have been admitted to Cleveland Clinic Hospital (Fairview or Lutheran Hospital) after a suicide attempt (any intentional, non-fatal self- injury regardless of medical lethality, if intent to die was indicated) with continued suicidal ideation or endorsing ongoing suicidal ideation and unable to contract for safety placing them at an increased risk to attempt suicide. Subjects will need a clinical rated Scale for Suicidal Ideation (SSI) score e 6.
- Subjects must have the ability to understand and the willingness to sign a written informed consent document.

Exclusion (10)

- Subjects with known history of autistic spectrum disorder; non-verbal patients.
- Subjects with moderate or severe intellectual disability (IQ less than 70 and those patients in special education full-time).
- Subjects with schizophrenia or history of any type of psychosis including mood disorder related psychosis and brief reactive psychosis.
- Within 6 months before initial screening, urine toxicology positive for phencyclidine, cocaine or amphetamines (subjects prescribed amphetamines for management of ADHD will not be excluded)
- Subjects with history of moderate or severe substance or alcohol use per DSM- V criteria in the past 6 months.
- ... and 5 more (see full listing online)

Locations (2 total)

Massachusetts General Hospital, Boston, Massachusetts, United States
The Cleveland Clinic, Cleveland, Ohio, United States