

# 5-year Follow up Study on the Comparative Performance of Two-piece Zirconia and Titanium Implants

NCT05326880

---

Status	RECRUITING
Phase	Not Applicable
Sponsor	The University of Hong Kong
Enrollment	60 participants

## Key Eligibility Criteria

---

### Inclusion (4)

- following criteria must be met for inclusion in the study:
- Patients must have voluntarily signed the Informed Consent Form before any study related procedures are performed, are willing and able to attend scheduled follow-up visits and agree that the pseudonymized data will be collected, analyzed, and published.
- Patients must be males or females who are a minimum of 18 years of age.
- Patients, who have received a single tooth replacement with a study implant as per-protocol in the premolar-to-premolar area (excluding lower incisors) in the mandible and maxilla and restored with a screw retained ceramic crown.

### Exclusion (2)

- Patients with conditions or circumstances, in the opinion of the Investigator, which would prevent completion of study participation or interfere with analysis of study results, such as history of non-compliance or unreliability.
- Pregnancy or intention to become pregnant at any point during the study duration.

## Locations (2 total)

---

Dusseldorf University Hospital, Poliklinik für Zahnärztliche Prothetik, Düsseldorf, Germany  
Clinical Research Centre, Faculty of Dentistry, the University of Hong Kong, Hong Kong, Hong Kong