

An Analysis of Adverse Events and Satisfaction Outcomes of Women Who Underwent Primary and Secondary Breast Augmentation Using Silimed® Breast Implants With Smooth Surface

NCT05345821

Status RECRUITING
Sponsor Silimed Industria de Implantes Ltda
Enrollment 384 participants

Key Eligibility Criteria

Inclusion (6)

- Provide written informed consent
 - Female at birth
 - Be 18 years of age or older
 - Have a complaint of hypomastia
 - Have an indication for breast augmentation with silicone implants
- ... and 1 more (see full listing online)

Exclusion (14)

- Replacement of breast implants due to a complication
 - Breast reconstruction in at least one breast
 - Informed pregnancy or breastfeeding at the time of inclusion
 - Sequelae of mastopexy
 - Ptosis requiring mastopexy
- ... and 9 more (see full listing online)

Locations (1 total)

Fundação do ABC - Centro universitário FMABC, Santo André, São Paulo, Brazil

<https://clinicaltrials.gov/study/NCT05345821>

DISCLAIMER: This document is for informational purposes only and does not constitute medical advice. Always consult your healthcare provider before enrolling in any clinical trial. Information may not be up to date — verify details at [ClinicalTrials.gov](https://clinicaltrials.gov). Generated by [ClinicalTrialsFinder.org](https://clinicaltrialsfinder.org).