

The Value of IVL Compared To OPN Non-Compliant Balloons for Treatment of Refractory Coronary Lesions (VICTORY) Trial

NCT05346068

Status	RECRUITING
Phase	Not Applicable
Sponsor	Luzerner Kantonsspital
Enrollment	280 participants

Key Eligibility Criteria

Inclusion (16)

- Age ≥18 years and consentable;
- Acute or chronic coronary artery disease with ischemia related symptoms (e.g. angina) and/or evidence of myocardial ischemia (e.g. FFR/ iFR, CMR, SPECT or PET-CT);
- Angiographically-proven coronary artery disease;
- Lesions in non-target vessels requiring PCI may be treated either
- prior to the study procedure if the procedure was unsuccessful or complicated; or
- ... and 11 more (see full listing online)

Exclusion (19)

- Patient experienced an acute STEMI or cardiogenic shock related to an acute MI within 2 days prior to index procedure;
- Any comorbidity or condition which may reduce compliance with this protocol, including follow-up calls/ visits (e.g. advanced dementia);
- Any medical, geographic, and/or social factor making study participation impractical or precluding required follow-up.
- Patient is pregnant or nursing (a negative pregnancy test is required for women of child-bearing potential within 7 days prior to enrollment);
- Unable to take a P2Y12 inhibitor (i.e. clopidogrel, prasugrel, or ticagrelor) for at least 6 months;
- ... and 14 more (see full listing online)

Locations (1 total)

Luzerner Heart Centre, Lucerne, Switzerland