

CMV CTLs in Neonates With CMV Infection

NCT05564598

Status	RECRUITING
Phase	Phase 2
Sponsor	New York Medical College
Enrollment	23 participants

Key Eligibility Criteria

Inclusion (25)

- Age: d 21 days of life
 - Birth Weight: e 2500 gms
 - Gestational age: e 34 weeks of age
 - Diagnosis of CMV viremia, viruria, and/or infection: Either one or more:
 - Elevated CMV by RT-PCR in urine, saliva, CSF, or plasma; and/or Positive urine culture for CMV
- ... and 20 more (see full listing online)

Exclusion (5)

- Patient receiving steroids (≥ 0.5 mg/kg prednisone equivalent) on the same day of CMV CTL infusion. Antenatal steroids for lung maturation will have been cleared prior to CMV diagnosis.
- Concomitant enrollment in another experimental clinical trial investigating the treatment of neonatal CMV viremia and/or infection.
- Any medical condition that could compromise participation in the study according to the investigator's assessment.
- Known history of HIV infection in the mother.
- Patient's legally authorized representative unwilling or unable to comply with the protocol or unable to give informed consent.

Locations (4 total)

Children's Hospital Los Angeles, Los Angeles, California, United States
Washington University, St Louis, Missouri, United States
New York Medical College, Valhalla, New York, United States
... and 1 more locations