

# Two Different Regimens of Bemiparin as a Thromboprophylaxis in Morbidly Obese Surgical Patients

NCT05569681

---

Status	RECRUITING
Phase	Not Applicable
Sponsor	Hawler Medical University
Enrollment	2,400 participants

## Key Eligibility Criteria

---

### Inclusion (4)

- Participants required surgical intervention in: general surgery, gynecology, bariatric surgery
- Moderate, high, and very high risk for venous thromboembolism according to Caprin RAM
- Participant is willing and able to give informed consent for participation in the study.
- BMI  $\geq 40$  kg/m<sup>2</sup>

### Exclusion (7)

- Having any contraindication to LMWH, such as active bleeding, history of heparin-induced thrombocytopenia, baseline platelet count  $< 75 \times 10^9$  /L, severe renal disease (glomerular filtration rate  $< 30$  ml/minute), severe liver disease, or uncontrolled hypertension ( $> 200/120$  mmHg)
- Known hypersensitivity to unfractionated or LMWHs
- On oral or parenteral anticoagulants within 5 days before surgery
- Severe arterial hypertension
- Unable to comply with the study treatment and/or follow-up
- ... and 2 more (see full listing online)

## Locations (1 total)

---

Hawler Medical university, Erbil, Kurdistan Region, Iraq