

Disulfiram for Treatment of Retinal Degeneration

NCT05626920

Status	RECRUITING
Phase	Phase 1, Phase 2
Sponsor	University of Washington
Enrollment	30 participants

Key Eligibility Criteria

Inclusion (13)

- Age ≥18 years Only those with a clinical diagnosis of inherited retinal degeneration. When available, supporting genetic diagnosis from a CLIA approved lab will be further considered for inclusion.
 - Only one eye per subject should be identified as the study eye. The study eye must meet the following criteria:
 - Best corrected ETDRS visual acuity letter score ≥ 70 (i.e., 20/40 or better) within 30 days of enrollment.
 - Goldmann visual field exhibiting constriction of visual fields to 10 degrees centrally
 - Able and willing to provide informed consent
- ... and 8 more (see full listing online)

Exclusion (14)

- A condition that, in the opinion of the investigator, would preclude participation in the study, e.g., alcohol dependence, cardiovascular disease, hepatitis.
 - Individuals with a history of diabetes mellitus
 - Individuals with a history of psychosis
 - Individuals with hypothyroidism
 - Individuals with hypersensitivity to thiuram derivatives causing rubber contact dermatitis
- ... and 9 more (see full listing online)

Locations (1 total)

University of Washington-South Lake Union Retina Center, Seattle, Washington, United States