

Prevention Of Sudden Cardiac Death After Myocardial Infarction by Defibrillator Implantation

NCT05665608

Status	RECRUITING
Phase	Not Applicable
Sponsor	Charite University, Berlin, Germany
Enrollment	3,595 participants

Key Eligibility Criteria

Inclusion (8)

- Age ≥18 years.
- Naïve to implantation of any pacemaker or defibrillator
- Documented history of MI either as ST segment elevation myocardial infarction (STEMI) or as non-ST segment elevation myocardial infarction (NSTEMI) at least 3 months prior to enrolment.
- Symptomatic heart failure with New York Heart Association (NYHA) class II or III.
- On OMT for at least 3 months prior to enrolment.

... and 3 more (see full listing online)

Exclusion (13)

- Class I or IIa indication for implantation of an ICD for secondary prevention of SCD and ventricular tachycardia.
- Ventricular tachycardia induced in an electrophysiologic study.
- Unexplained syncope when ventricular arrhythmia is suspected as the cause of syncope.
- Class I or IIa indication for Cardiac Resynchronization Therapy (CRT)
- Foreseeable violation of instruction for use (IFU) of the ICD device selected for implantation (valid for control group patients, only).

... and 8 more (see full listing online)

Locations (86 total)

Landeskrankenhaus Feldkirch, Feldkirch, Austria
LKH Universitätsklinikum Graz, Graz, Austria
Tirol Kliniken - Universitätsklinik Innsbruck, Innsbruck, Austria
... and 83 more locations