

Dual Anti-glutamate Therapy in Super-refractory Status Epilepticus After Cardiac Arrest

NCT05756621

Status RECRUITING
Sponsor University of Milano Bicocca
Enrollment 80 participants

Key Eligibility Criteria

Inclusion (6)

- age ≥ 18 years
- patients in coma after cardio-circulatory arrest (CCA) admitted to the Intensive Care Unit and treated with target temperature management (TTM) for the first 24 hours
- initiation of continuous electroencephalographic (cEEG) monitoring within 24-36 hours of CCA
- diagnosis of super-refractory status epilepticus, relapsed after the first cycle of anesthetics (lasting > 24 hours) and antiepileptic therapy, defined according to the international Salzburg criteria⁹
- presence of pupillary reflex present bilaterally
- ... and 1 more (see full listing online)

Exclusion (3)

- EEG with periodic pattern (generalized periodic discharges; GPDs)
- status epilepticus resolved after the first cycle of anesthetics + antiepileptics
- pregnant women

Locations (10 total)

ASST Spedali Civili Brescia, Brescia, BS, Italy
Ospedale Centrale di Bolzano, Bolzano, BZ, Italy
Ospedale G. Brotzu, Cagliari, CA, Italy
... and 7 more locations

<https://clinicaltrials.gov/study/NCT05756621>

DISCLAIMER: This document is for informational purposes only and does not constitute medical advice. Always consult your healthcare provider before enrolling in any clinical trial. Information may not be up to date — verify details at ClinicalTrials.gov. Generated by ClinicalTrialsFinder.org.