

Comparison Trial Between Elastic-compressive Stockings at 21 Versus 32 mmHg

NCT05766579

Status	RECRUITING
Phase	Not Applicable
Sponsor	IRCCS Policlinico S. Donato
Enrollment	64 participants

Key Eligibility Criteria

Inclusion (1)

- adult patients (>18 years) suffering from varicose vein pathology of the lower limbs C2-3 class (varicose veins, edema) according to Clinic, Etiology, Anatomy, Pathophysiology (CEAP) classification, supported by incompetence of the great saphenous vein documented by Echo-Duplex study and candidates for thermal ablation by radiofrequency of the great vein saphenous vein with associated phlebectomy of the ipsilateral thigh and/or leg varices.

Exclusion (6)

- Patients who are minors (< 18 years old) or adults who have not given their consent to participate in the study.
- Presence of severe obliterating arterial disease of the lower limbs (ABI <0.5)
- Obesity (BMI >30)
- Varicose pathology of the lower limbs in C4-C6 class according to Clinic, Etiology, Anatomy, Pathophysiology (CEAP) classification (presence of:
 - lipodermatosclerosis/eczema and/or ulcers in progress and/or previous ulcers in the affected lower limb).
- ... and 1 more (see full listing online)

Locations (1 total)

I.R.C.C.S. Policlinico San Donato, San Donato Milanese, Milan, Italy