

Cue Effects in Human Addiction: Pavlovian to Instrumental Transfer

NCT05992272

Status RECRUITING
Sponsor Charite University, Berlin, Germany
Enrollment 300 participants

Key Eligibility Criteria

Inclusion (8)

- males and females between 16-65 years of age
- AUD subjects only: meet a minimum of 2 criteria for DSM-5 alcohol-related disorder (AUD) (not requiring withdrawal as assessed by an independent psychiatrist) and AUDIT \geq 4
- Smokers: Daily smokers only: smoke 7 days/week during the last three months
- Non-daily smokers only: smoke at least once but less than 7 days/week during the last three months
- Ability to consent to the study and complete the questionnaires
- ... and 3 more (see full listing online)

Exclusion (12)

- Lifetime diagnosis according to DMS-5 for: Bipolar disorder, schizophrenia, schizophrenia spectrum disorder, substance dependence except for alcohol, nicotine, or cannabis
- Currently meeting DSM-5 diagnostic criteria for a depressive episode, suicidal ideation
- Past traumatic brain injury or severe neurological disease (such as dementia, Parkinson's disease, multiple sclerosis)
- Pregnancy or breastfeeding
- Ingestion of medications known to interact with the CNS in the 10-day period prior to study participation or less than 4 half-lives after last ingestion (rapid urine test)
- ... and 7 more (see full listing online)

Locations (2 total)

Charite - Universitätsmedizin Berlin, Berlin, Germany
Technische Universität Dresden, Dresden, Germany