

Nectero EAST System Clinical Study

NCT06001918

Status	RECRUITING
Phase	Phase 2, Phase 3
Sponsor	Nectero Medical, Inc.
Enrollment	400 participants

Key Eligibility Criteria

Inclusion (9)

- Males and females e21 to d85 years of age. Females must be of non-childbearing potential (menopause or sterilization).
- Subject understands the purpose of the trial, agrees to voluntarily participate in the trial, signs the informed consent and is willing to complete the follow-up according to the requirements of the protocol.
- Infrarenal atherosclerotic fusiform abdominal aortic aneurysm from 3.5 cm to 5.0 cm (male) and 3.5 cm to 4.5 cm (female).
- Infrarenal aortic neck e 15 mm in length and d 29 mm in diameter.
- Overall AAA treatment length (distal renal to distal inferior margin of the aneurysm) not to exceed 130 mm.

... and 4 more (see full listing online)

Exclusion (31)

- Subject has an acutely ruptured, leaking, dissecting or emergent aneurysm.
- Subject has a symptomatic infrarenal abdominal aortic aneurysm.
- Subject has a mycotic or infected aneurysm.
- Subject has current vascular injury due to trauma.
- Subject's aneurysm is thoracic, suprarenal or juxtarenal.

... and 26 more (see full listing online)

Locations (39 total)

Honor Health Scottsdale Shea Medical Center, Scottsdale, Arizona, United States

University of Colorado, Aurora, Colorado, United States

Medstar Washington Hospital Center, Washington D.C., District of Columbia, United States

... and 36 more locations