

Transcranial Pulse Stimulation (TPS) in Post-COVID-19

NCT06178952

Status	RECRUITING
Phase	Not Applicable
Sponsor	Medical University of Vienna
Enrollment	102 participants

Key Eligibility Criteria

Inclusion (6)

- Signed written informed consent
- PCR-confirmed SARS-CoV-2 infection, laboratory confirmed antibody detection for SARS-CoV-2, or physician-verified COVID-19 infection
- At least 12 months after initial SARS-CoV-2 infection that led to Post-COVID (subsequent SARS-CoV-2 infections are not a reason for exclusion)
- Diagnosis of Post-COVID Syndrome or independent suspected diagnosis of Post-COVID Syndrome (Considering that physicians generally hesitate to provide clear-cut Post-COVID diagnoses, a tentative diagnosis by an independent general practitioner or a specialist in a field associated with Post-COVID will suffice for entering this study)
- Age: 20-80

... and 1 more (see full listing online)

Exclusion (16)

- Clinically relevant realization of pre-COVID diseases with similar symptoms as Post-COVID
- MoCA score ≤ 17 (cut-off for dementia)
- BDI-II score ≥ 29 (cut-off for severe depression)
- FIS ≤ 10 (cut-off for no fatigue)
- Brain implants

... and 11 more (see full listing online)

Locations (1 total)

Medical University of Vienna, Vienna, Vienna, Austria