

Washed Microbiota Transplantation for Diabetic Gastroparesis

NCT06340217

Status	RECRUITING
Phase	Not Applicable
Sponsor	The Second Hospital of Nanjing Medical University
Enrollment	46 participants

Key Eligibility Criteria

Inclusion (6)

- Diagnosed with diabetes for over 1 year;
- Accompanied by symptoms such as abdominal bloating, early satiety, persisting for at least 3 months, with a GCSI Total Score greater than/equal to 2.3;
- Objective evidence of delayed gastric emptying within the past 3 months, including but not limited to scintigraphic gastric emptying or gastric ultrasound;
- Upper gastrointestinal obstructive lesions were ruled out by imaging or endoscopic examination within the past 3 months;
- Males and nonpregnant, non-breastfeeding females who are aged more than 18 years and sign the informed consent form;
- ... and 1 more (see full listing online)

Exclusion (20)

- Subjects who:
- Have any upper gastrointestinal pathology other than diabetic gastroparesis that would require therapy other than that provided in this trial;
- Have a prior history of gastric surgery, including but not limited to gastric bypass, gastrectomy, gastric banding, pyloroplasty, fundoplication, or vagotomy in past 1 year;
- Have any organic/neurological disease that is suspected to be causing gastroparesis, other than diabetes;
- Have been using medications affecting gastrointestinal motility, such as GLP-1 agonists;
- ... and 15 more (see full listing online)

Locations (1 total)

Department of Microbiota Medicine & Medical Centre for Digestive Diseases, The Second Affiliated Hospital of Nanjing Medical University, Nanjing, Jiangsu, China