

Safety and Efficacy of Ventricular Irrigation for Ventriculitis

NCT06358209

Status	RECRUITING
Phase	Not Applicable
Sponsor	RenJi Hospital
Enrollment	310 participants

Key Eligibility Criteria

Inclusion (5)

- Age 18-65 years old;
- CSF is purulent (it appears cloudy or yellow) and white blood cell count over $1000 \times 10^6/L$.
- Fever ($>38.0^{\circ}C$)
- Meet at least one of the following: 1. Patient has organism(s) identified from CSF by a culture or non-culture based microbiologic testing method; 2. Cranial CT or MRI indicating intraventricular floccule or pus.
- With consent form

Exclusion (4)

- With GCS score of 3
- With unstable vital signs such as no spontaneous breathing and blood pressure maintenance drugs
- With severe propensity for bleeding (Such as coagulation dysfunction, active bleeding, etc.), and unable to tolerate the surgical procedures or operations related to ventricular irrigation treatment.
- Pregnant or lactating women

Locations (35 total)

The First Affiliated Hospital of University of Science and Technology of China, Hefei, Anhui, China
The Second People's Hospital of Anhui Province, Hefei, Anhui, China
The First Affiliated Hospital of Wannan Medical College, Wuhu, Anhui, China
... and 32 more locations