

Electroacupuncture for Dysmenorrhea Secondary to Adenomyosis

NCT06364592

Status	RECRUITING
Phase	Not Applicable
Sponsor	Guang'anmen Hospital of China Academy of Chinese Medical Sciences
Enrollment	30 participants

Key Eligibility Criteria

Inclusion (7)

- Meeting the diagnosis criteria of dysmenorrhea secondary to adenomyosis.
- Female patients aged between 18 and 50.
- Dysmenorrhea lasting for 3 consecutive menstrual cycles or more.
- At least three consecutive menstrual cycles with an interval of 24 to 38 days, differing by less than 7 days, and menstrual periods lasting 2 to 8 days before screening.
- At least 2 days of worst pain score e4 on Numerical Rating Scale during the screening period.

... and 2 more (see full listing online)

Exclusion (10)

- Diagnosed with Endometriosis or having a history of endometriosis-related surgery
- Currently taking hormonal medications, including: a. use of GnRH agonists within 6 months before the screening period; b. use of progestins or danazol and other long-acting hormones within 3 months before the screening period; c. use of oral contraceptive-like short-acting hormones within one month before the screening period;
- Having clinically significant gynecologic condition such as clinically significant endometrial pathology, persistent complex ovarian cyst larger than 3 cm or simple ovarian cyst larger than 5 cm, or single fibroid 4 cm or larger or more than 4 fibroids measuring at least 2 cm or symptomatic submucosal fibroid of any size.
- having an IUD.
- HB < 90G/L.

... and 5 more (see full listing online)

Locations (1 total)

Guang'anmen Hospital, China Academy of Chinese Medical Sciences, Beijing, China