

Endovascular Treatment for eXtra-Large Ischemic Stroke

NCT06388148

Status	RECRUITING
Phase	Not Applicable
Sponsor	Zhongming Qiu
Enrollment	286 participants

Key Eligibility Criteria

Inclusion (5)

- Age 18 years or older, and modified Rankin scale score = 0 or 1 in patients 80 years or older;
- Acute ischemic stroke within 6 hours from last known well to randomization, or with negative MRI-FLAIR (no change on FLAIR sequence and presence of infarct on MRI-DWI) if > 6 hours or unknown last known well time;
- Occlusion of the internal carotid artery, M1 or M2 segment of the middle cerebral artery confirmed by CTA/MRA/DSA;
- Baseline ASPECTS score of 0-2 or infarct core volume $\leq 100\text{ml}$;
- The patient or patient's representative signs a written informed consent form.

Exclusion (6)

- CT or MR evidence of hemorrhage;
- Evidence of mass effect with ventricular effacement, midline shift or herniation on baseline imaging;
- Vessel tortuosity where it is expected that the thrombectomy device will not be able to reach the occlusion site or result in unstable access;
- History of bleeding disorders, severe heart, liver or kidney disease, or sepsis;
- Currently participating in another investigational drug study;
- ... and 1 more (see full listing online)

Locations (2 total)

The First Affiliated Hospital, Hengyang Medical School, University of South China, Hengyang, Hunan, China
Xiangtan Central Hospital, Xiangtan, Hunan, China