

Comparison Between Ureterorenoscopy With Lithotripsy Alone Versus Combination With Hydrogel for Kidney Stone Removal

NCT06469736

Status	RECRUITING
Phase	Not Applicable
Sponsor	Technical University of Munich
Enrollment	120 participants

Key Eligibility Criteria

Inclusion (6)

- Male or female subjects aged e 18 years
- Evidence of nephrolithiasis on presentation of a preoperative computer tomography (CT) scan not older than 6 months
- Minimum size of the kidney stones defined as $\gt;10$ mm in the longest axis in the preoperative CT.
- Ability to read, write and speak German
- Women of childbearing age must have a negative serum pregnancy test at the start of the study.

... and 1 more (see full listing online)

Exclusion (10)

- Participation in another clinical trial for kidney stone removal in the last 6 months
- Subjects with gastrointestinal cancer who have not been in remission for at least 2 years
- Subjects with a single kidney, horseshoe kidney or other anatomical abnormalities that may increase the risk of surgery for the subject
- Subjects with untreated ureteral stenosis or renal stenosis and narrow ureteropelvic junction/ureterovesical junction
- Subjects with known impaired renal function from stage IV or known dialysis

... and 5 more (see full listing online)

Locations (1 total)

University Hospital rechts der Isar, Munich, Bavaria, Germany