

Study on Multibranched Stent Graft System in the Treatment of Thoracoabdominal Aortic Aneurysm

NCT06478576

Status	RECRUITING
Phase	Not Applicable
Sponsor	Lifetech Scientific (Shenzhen) Co., Ltd.
Enrollment	73 participants

Key Eligibility Criteria

Inclusion (12)

- Age \geq 18 and \leq 80 years;
 - Patients diagnosed with thoracoabdominal aortic aneurysm (based on the modified Crawford classification and the 2019 European guidelines for the treatment of aortic aneurysms), and should meet at least one of the following conditions:
 - Maximum diameter of TAAA \geq 50 mm,
 - Rapid growth of sac \geq 5 mm in diameter in the most recent 6 months, or rapid growth \geq 10 mm in diameter within 1 year
 - Symptoms related to thoracoabdominal aortic aneurysm, such as clear abdominal pain and back pain.
- ... and 7 more (see full listing online)

Exclusion (21)

- Ruptured aortic aneurysm in unstable haemodynamic condition;
 - Aneurysmal aortic dissection;
 - Infected or mycotic aortic aneurysm;
 - Patients whose systemic or local infection may increase the risk of intravascular graft infection;
 - Patients with occlusion of the superior mesenteric artery, celiac trunk, or renal artery.
- ... and 16 more (see full listing online)

Locations (1 total)

Chinese PLA General Hospital, Beijing, China