

# Brachial Versus Femoral Access for Carotid Artery Stenting

NCT06557135

---

Status	RECRUITING
Phase	Not Applicable
Sponsor	The First Affiliated Hospital with Nanjing Medical University
Enrollment	226 participants

## Key Eligibility Criteria

---

### Inclusion (4)

- Clinical diagnosis of stenosis at the origin of the carotid artery with indications for neuro-interventional treatment (symptomatic stenosis  $\geq 50\%$ ; asymptomatic stenosis  $\geq 70\%$ )
- Aged 18 or above
- With palpable brachial and femoral arteries
- The patient or his/her agent understands the purpose and needs of this study and signs the informed consent

### Exclusion (12)

- Symptomatic stenosis or occlusion of multiple vessels at the same time
- Intravascular intervention for multiple vessel lesions at the same time
- Ischemic stroke within the past 2 weeks
- Any active bleeding, severe anaemia, or coagulation disorder. At least one of the following laboratory tests must be met: haemoglobin  $< 10\text{g/dL}$ , or platelet count  $< 100,000/\mu\text{L}$ , or unadjusted INR  $> 1.5$ , or PT exceeds the upper limit of normal by 1 minute or heparin-induced thrombocytopenia
- A large-area cerebral infarction stroke on the same side with sequelae may affect the judgment of the study endpoint
- ... and 7 more (see full listing online)

## Locations (1 total)

---

The First Affiliated Hospital of Nanjing Medical University, Nanjing, Jiangsu, China