

Calcium Carbonate to Augment Labor Contractions

NCT06580782

Status	RECRUITING
Phase	Phase 4
Sponsor	Weill Medical College of Cornell University
Enrollment	60 participants

Key Eligibility Criteria

Inclusion (7)

- years or older
 - Nulliparas (no prior pregnancy lasting 20 weeks or greater of gestation)
 - Gestational age above 36 weeks, at enrollment
 - Present for induction or augmentation of labor inclusive of medical indication, elective induction at greater than 39 weeks' gestation, trial of labor after cesarean
 - Singleton gestation (a multiple gestation reduced to a singleton, either spontaneously or therapeutically, before 14 0/7 weeks of gestation is acceptable)
- ... and 2 more (see full listing online)

Exclusion (16)

- Unable to understand or read English
 - Presence of tachysystole (defined as more than 5 contractions in 10 minutes averaged over 30 minutes), recurrent variable or late fetal decelerations, and bradycardia in the prior 30 minutes before enrollment
 - Non-vertex presenting fetus at enrollment
 - Planned for cesarean delivery or contraindication to labor by institutional policy (e.g., placenta previa, vasa previa, active genital herpes infection, previous transmural myomectomy)
 - Multi-fetal gestation (twins, triplets, and higher order multiples)
- ... and 11 more (see full listing online)

Locations (1 total)

Weill Cornell Medicine, New York, New York, United States