

A Study Comparing Laparoscopic/Robotic Stoma Reduced-Port Fusion Surgery with Traditional Surgery in Patients with Temporary Ileostomy

NCT06604052

Status	RECRUITING
Phase	Not Applicable
Sponsor	Xinhua Hospital, Shanghai Jiao Tong University School of Medicine
Enrollment	80 participants

Key Eligibility Criteria

Inclusion (6)

- After preoperative evaluation, patients scheduled for laparoscopic/robotic colorectal surgery (rectum, sigmoid colon, left colon) who are planned to undergo prophylactic ileostomy.
 - No serious systemic infection or immunosuppression.
 - Over 18 years of age.
 - Eastern Cooperative Oncology Group Performance Status: 0-1
 - The expected survival time $>$ 6 months.
- ... and 1 more (see full listing online)

Exclusion (7)

- Any skin infectious diseases in the abdominal wall.
 - Use hormones and immunosuppressive drugs within 1 month before surgery.
 - The time between operation and the last chemotherapy was less than 1 month.
 - Any previous ostomy surgery.
 - Any serious active infection or uncontrollable infection that requires systematic treatment.
- ... and 2 more (see full listing online)

Locations (1 total)

Xinhua Hospital, Shanghai Jiao Tong University School of Medicine, Shanghai, China, China