

# Sexual Functioning After Erection Prosthesis Placement in Post Phalloplasty Transgender Persons

NCT06639776

---

**Status** RECRUITING  
**Sponsor** University Hospital, Ghent  
**Enrollment** 150 participants

## Key Eligibility Criteria

---

### Inclusion (7)

- Patient and partner age e 18 years.
- Transgender or gender non-conforming individuals diagnosed according to the DSM-5 diagnostic criteria for gender dysphoria.
- Patients have undergone phalloplasty as a form of genital gender affirming surgery (any type of flap combination or technique is allowed).
- Erection prosthesis placement e 6 months after phalloplasty, performed at the Ghent University Hospital. Any type of prosthesis is allowed.
- Patient has a functional erectile prosthesis at the time of the study. Number of erectile prosthesis is not relevant for inclusion.
- ... and 2 more (see full listing online)

### Exclusion (4)

- Patient age < 18 years.
- Cisgender patients treated with phalloplasty and/or erection prosthesis for various reasons.
- The erection prosthesis has been explanted or the current prosthesis is nonfunctional at time of data assessment.
- Erection prosthesis placement < 6 months before study start will be excluded.

## Locations (1 total)

---

Department of Urology, University Hospital Ghent, Ghent, East-Flanders, Belgium