

# Comparison of Anesthetic Efficacy and Safety Between Nerve Block and Infiltrative Technique for Mandibular Posterior Implant Placement.

NCT06641232

---

<b>Status</b>	RECRUITING
<b>Phase</b>	Not Applicable
<b>Sponsor</b>	University of Barcelona
<b>Enrollment</b>	42 participants

## Key Eligibility Criteria

---

### Inclusion (3)

- Patients of legal age (≥18 years), partially edentulous, requiring the placement of one or more mandibular implants in the molar area.
- Patients without relevant systemic pathology (equal or lower than ASA II).
- Sufficient intellectual capacity to understand the study, the informed consent and to adequately complete the questionnaires.

### Exclusion (8)

- Pregnant patients.
- Patients with allergy or hypersensitivity to articaine or adrenaline.
- Patients with uncontrolled systemic diseases.
- Patients who may recognize the anesthetic technique used (e.g. dentists).
- Drugs or systemic diseases (ASA III or higher) that contraindicate surgical intervention or the use of anesthetics and/or vasoconstrictors.

... and 3 more (see full listing online)

## Locations (1 total)

---

Hospital odontològic de Bellvitge, Universitat de Barcelona, L'Hospitalet de Llobregat, Barcelona, Spain