

Chronic Widespread Pain After Rapid Weight Loss in Non-Hispanic Black and Hispanic/Latino/a/x Adults

NCT06795386

Status RECRUITING
Sponsor New York University
Enrollment 60 participants

Key Eligibility Criteria

Inclusion (9)

- Self-identify as Black/African American or Hispanic/Latino ethnicity based on the U.S Census racial categories
- Eligible candidates for bariatric surgery (BMI greater than or equal to 40 or BMI greater than or equal to 35 with comorbidity)
- Meets criteria for chronic widespread pain (CWP) based on the following:
 - self-reported pain at 3 or more anatomical sites
 - painful regions on both sides of the body
- ... and 4 more (see full listing online)

Exclusion (6)

- Prospective participants with a previous history of bariatric surgery
- Have acute pain (pain for less than 6 weeks) at 1 month prior to study enrollment
- Have a systemic autoimmune disorder or immunodeficiency
- Have an unstable psychological condition
- Are non-ambulatory or ambulate with an assistive device other than a cane
- ... and 1 more (see full listing online)

Locations (3 total)

NYU Steinhardt Arthur J. Nelson Laboratory, New York, New York, United States
New York City Health + Hospitals/Bellevue Hospital, New York, New York, United States
NYU CTSI Clinical Research Center, New York, New York, United States