

# Efficacy and Safety of Clotrimazole+Lactulose Vaginal Suppositories Vs. Clotrimazole Monotherapy in Adult Women with Candidal Vaginitis/Vulvovaginitis

NCT06835361

---

<b>Status</b>	RECRUITING
<b>Phase</b>	Phase 2, Phase 3
<b>Sponsor</b>	AVVA Pharmaceuticals Ltd.
<b>Enrollment</b>	264 participants

## Key Eligibility Criteria

---

### Inclusion (5)

- Women aged 18 to 60 years.
- Clinically and microbiologically confirmed diagnosis of candidal vulvovaginitis.
- Negative pregnancy test at screening.
- Agreement to use reliable contraception throughout the study and for 30 days after its completion.
- Signed informed consent.

### Exclusion (5)

- Pregnancy or breastfeeding.
- Diagnosed bacterial vaginosis.
- Chronic inflammatory or atrophic diseases of the female genital organs.
- History of malignant neoplasms.
- Use of systemic antibiotics or antifungal drugs within 2 weeks prior to screening.

## Locations (7 total)

---

Healthcare Institution "1st Central District Polyclinic of the Central District of Minsk", Minsk, Minsk City, Belarus  
Healthcare Institution "14th Central District Polyclinic of the Partizansky District of Minsk", Minsk, Belarus  
Healthcare Institution "2nd Central District Polyclinic of the Frunzensky District of Minsk", Minsk, Belarus  
... and 4 more locations