

The Effect of Different Risk Factors on the Success Rate of VPT

NCT06844448

Status RECRUITING
Sponsor Semmelweis University
Enrollment 400 participants

Key Eligibility Criteria

Inclusion (4)

- Patients over 18 years of age who have at least one tooth with a pulp chamber that has been opened during a dental procedure or is likely to be opened during restoration of the tooth
- The tooth is responsive to a sensitivity test with cold spray
- The coronal part must be restorable
- The periodontal depth around the tooth should be 0 according to the Dental Practicality Index Periodontal Treatment Need, i.e. the probing depth around the tooth should not be greater than 3.5 mm

Exclusion (9)

- Internal/external resorption in the tooth
 - If the root development of the tooth is not yet complete or if it is a deciduous tooth
 - Absolute isolation cannot be performed during the procedure
 - If pulp exposure does not occur even after complete removal of caries
 - The crown of the tooth cannot be restored
- ... and 4 more (see full listing online)

Locations (1 total)

Department for Restorative Dentistry and Endodontics, Semmelweis University, Budapest, Hungary

<https://clinicaltrials.gov/study/NCT06844448>

DISCLAIMER: This document is for informational purposes only and does not constitute medical advice. Always consult your healthcare provider before enrolling in any clinical trial. Information may not be up to date — verify details at [ClinicalTrials.gov](https://clinicaltrials.gov). Generated by [ClinicalTrialsFinder.org](https://clinicaltrialsfinder.org).