

Safety and Immunogenicity of the Recombinant Zoster Vaccine, LYB004 in Adults Aged 40 Years and Older

NCT06874842

Status	RECRUITING
Phase	Phase 1
Sponsor	Guangzhou Patronus Biotech Co., Ltd.
Enrollment	92 participants

Key Eligibility Criteria

Inclusion (4)

- Residents aged 40 years and older (at the time of screening), regardless of gender;
- Participants can provide valid identification, voluntarily agree to participate in the study, and sign the Informed Consent Form;
- Participants are able to attend all planned follow-up visits and comply with the protocol requirements;
- Females of childbearing potential should use effective contraceptive measures one month before enrollment; females of childbearing potential (excluding those who have undergone tubal ligation, bilateral oophorectomy, or hysterectomy) and male participants should practice effective contraception and avoid pregnancy plans, as well as sperm or egg donation plans from the time of enrollment until 6 months after the full course of vaccination. Effective contraceptive methods include oral contraceptives (excluding emergency contraceptives), injectable or implantable contraceptives, sustained-release local contraceptives, contraceptive patches, intrauterine devices, sterilization, abstinence, condoms, diaphragms, cervical caps, etc.

Exclusion (11)

- Axillary temperature $\geq 37.3^{\circ}\text{C}$;
 - History of herpes zoster before vaccination with the investigational vaccine;
 - Previous vaccination against HZ or varicella;
 - Has had close contact with patients with varicella/herpes zoster within 6 months before vaccination with the investigational vaccine;
 - Has received any vaccine within 14 days before vaccination, or have received a live vaccine within 28 days;
- ... and 6 more (see full listing online)

Locations (1 total)

Guangdong Provincial Center for Disease Control and Prevention, Meizhou, China