

Orofacial Pain Self-management: Personality Moderation Effect

NCT06932406

Status	RECRUITING
Phase	Not Applicable
Sponsor	Fundación Universidad Católica de Valencia San Vicente Mártir
Enrollment	98 participants

Key Eligibility Criteria

Inclusion (6)

- The patient presents TMDs diagnosed according to the CD/TMD classification.
 - Age between 18 and 65.
 - Presence of pain in mandibular, temporal, facial, peri-auricular and/or auricular regions.
 - Presence of chronic orofacial pain. Defined by the ICD-11 as orofacial pain or headache that occurs for more than two hours a day for 50% of the days of the last three months.
 - Orofacial pain is related to TMDs according to the International Classification of Headaches.
- ... and 1 more (see full listing online)

Exclusion (6)

- Concomitant rheumatic systemic pathologies.
 - History of trauma or recent surgical intervention in the head, face, neck or chest.
 - Presence of intraoral infections or odontogenic pain.
 - Headache of neuropathic origin (trigeminal neuralgia, Arnold neuralgia, etc.).
 - Being receiving therapy (except rescue pharmacological therapy) for this disorder or pain.
- ... and 1 more (see full listing online)

Locations (1 total)

Catholic University of Valencia, Valencia, Valencia, Spain