

Adjunctive Intra-arterial Tenecteplase Following Mechanical Thrombectomy (ALLY) II Trial

NCT06949228

Status	RECRUITING
Phase	Phase 2, Phase 3
Sponsor	ProMedica Health System
Enrollment	132 participants

Key Eligibility Criteria

Inclusion (5)

- Age 18-85
- Anterior circulation ischemic stroke symptoms with confirmed occlusion (ICA, M1, or M2) on angiogram and mechanical thrombectomy initiated within 24 hours since last known well
- Alberta Stroke Program Early CT Score (ASPECTS) Score e6 on baseline Non-contrast Head CT (NCCT)
- Post-mechanical thrombectomy with d5 device passes and mTICI grade 2b or higher.
- Ability to obtain signed informed consent prior to randomization from LAR or Subject

Exclusion (22)

- Premorbid modified Rankin scale (mRS) score ≥ 1
- Imaging evidence of hemorrhage or mass effect at baseline
- Platelet count $< 100,000$
- Active hemorrhagic diathesis, or known hereditary or acquired hemorrhagic diathesis, coagulation factor deficiency
- Active anticoagulation treatment with novel oral anticoagulant (NOACs) taken within the last 48 hours, or INR ≥ 1.7
- ... and 17 more (see full listing online)

Locations (1 total)

ProMedica Toledo Hospital, Toledo, Ohio, United States