

# High-Voltage Long-Duration Pulsed Radiofrequency Combined With Liposomal Bupivacaine Subcutaneous Block for Herpes Zoster-Associated Neuralgia

NCT06959147

---

<b>Status</b>	RECRUITING
<b>Phase</b>	Phase 4
<b>Sponsor</b>	Shirong Tan
<b>Enrollment</b>	46 participants

## Key Eligibility Criteria

---

### Inclusion (7)

- Patients diagnosed with zoster-associated neuralgia (ZAN) who meet ALL of the following conditions:
  - Voluntarily provided written informed consent.
  - Inadequate response to pharmacological or other non-surgical therapies OR intolerable drug-related adverse effects.
  - Herpes zoster (HZ) lesions involving cranial/cervicocephalic, cervical, thoracic, or lumbar dermatomes.
  - Moderate-to-severe pain intensity, defined as a Numerical Rating Scale (NRS) score e4 at baseline.
- ... and 2 more (see full listing online)

### Exclusion (6)

- Severe cardiovascular diseases or life-threatening arrhythmias (e.g., heart failure, third-degree atrioventricular block without pacemaker implantation).
  - Contraindications to minimally invasive interventions (e.g., coagulation disorders, active infections).
  - Allergy to local anesthetics or lipid emulsions; Severe dysfunction of vital organs (cardiac, pulmonary, hepatic, or renal) rendering the patient unfit for the procedure.
  - Severe endocrine disorders or long-term use of corticosteroids/immunosuppressive agents.
  - Cognitive impairment or inability to cooperate with treatment protocols.
- ... and 1 more (see full listing online)

## Locations (1 total)

---

Affiliated Hospital of Zunyi Medical University, Zunyi, Guizhou, China