The Efficacy of a Smart Phone-based Test on Measuring Pupillary Light Reflex Alterations Following Cannabis Use Healthy in Adults

NCT06967051

Status	RECRUITING
Phase	Not Applicable
Sponsor	Sobereye Inc.
Enrollment	20 participants

Key Eligibility Criteria

Inclusion (14)

- Males and females 21 years of age or older
- Females not of child-bearing potential, defined as those who have undergone a sterilization procedure (e.g. hysterectomy, bilateral oophorectomy, bilateral tubal ligation, complete endometrial ablation) or have been post-menopausal for at least 1 year prior to screening Or,
- Individuals of child-bearing potential must have a negative baseline urine pregnancy test and agree to use a medically approved method of birth control for the duration of the study. All hormonal birth control must have been in use for a minimum of three months. Acceptable methods of birth control include:
- Hormonal contraceptives including oral contraceptives, hormone birth control patch (Ortho Evra), vaginal contraceptive ring (NuvaRing), injectable contraceptives (Depo-Provera, Lunelle), or hormone implant (Norplant System)
- Double-barrier method

... and 9 more (see full listing online)

Exclusion (23)

- Individuals who are pregnant, breast feeding or planning to become pregnant during the study
- Allergy, sensitivity, intolerance, or dietary restriction preventing consumption study products
- Current and ongoing neurological or ophthalmological issue that could affect the retina (blindness, glaucoma, dry eyes, retinal diseases, pupil abnormalities, cataracts, sensitivity to bright lights)
- History of surgery on eyes or retinas except for laser corneal surgery
- Current or history of psychological disorders (e.g., schizophrenia and psychosis)

... and 18 more (see full listing online)

Locations (1 total)

KGK Science Inc., London, Ontario, Canada