

Effect of Early Dexamethasone on Major Complications and All-cause Mortality in Severe Burns

NCT06968559

Status	RECRUITING
Phase	Phase 3
Sponsor	Nantes University Hospital
Enrollment	478 participants

Key Eligibility Criteria

Inclusion (6)

- years old d Age d 80 years old.
- Total burn surface area e 20%, measured by a trained expert upon admission
- Invasive mechanical ventilation at the time of inclusion
- Within 48 hours of the burn injury
- Informed and signed written consent of the next-of-kin, legal representative (trusteeship, guardianship) or emergency procedure in the absence of a legal representative.
- ... and 1 more (see full listing online)

Exclusion (7)

- Imminent death and a do-not-resuscitate order
- Medical history of hypersensitivity to dexamethasone and hypersensitivity to all of its excipients
- Pregnancy (attested by a pregnancy test for women of childbearing age) and/or breastfeeding women
- Participation to another interventional study involving a drug with known interactions with dexamethasone
- Uncontrolled viral hepatitis or invasive fungal infection at the time of inclusion
- ... and 2 more (see full listing online)

Locations (10 total)

CHU Tours, Chambray-lès-Tours, France
CHU Lille, Lille, France
CHU de Lyon, Lyon, France
... and 7 more locations