

A Single-Center Clinical Study on the Efficacy and Safety of VISOR

NCT07071948

Status	RECRUITING
Phase	Not Applicable
Sponsor	Second Affiliated Hospital, School of Medicine, Zhejiang University
Enrollment	20 participants

Key Eligibility Criteria

Inclusion (4)

- Patients with upper urinary tract calculi, where the maximum diameter of a single calculus or the cumulative diameter of multiple calculi is 1-3 cm
- Patients who choose to undergo "flexible ureteroscopic holmium laser lithotripsy"
- Aged 18-80 years, regardless of gender
- Subjects without mental illness or language dysfunction, who can understand the details of this study and sign the informed consent form

Exclusion (8)

- Patients with ureteral stricture or a history of ureteral stricture
- Patients with a history of open renal and/or ureteral surgery or laparoscopic surgery
- Fever (body temperature ≥ 38) due to urinary tract infection or other reasons within one week before surgery
- Pregnant women, lactating women, or women who are in the menstrual period
- ASA classification \geq Grade 3: patients with severe systemic diseases, heart diseases, pulmonary insufficiency, and failure of important organ functions, etc., who cannot tolerate anesthesia or surgery
- ... and 3 more (see full listing online)

Locations (1 total)

2nd Affiliated Hospital, School of Medicine, Zhejiang University, Hangzhou, Zhejiang, China