

Statins for Treatment of Primary Intracerebral Hemorrhage

NCT07088250

Status	RECRUITING
Phase	Not Applicable
Sponsor	The Second Hospital of Anhui Medical University
Enrollment	264 participants

Key Eligibility Criteria

Inclusion (8)

- Patients with a diagnosis of spontaneous intracerebral hemorrhage (ICH) confirmed by computed tomography (CT);
- Age 18-80 years;
- Hematoma located in the supratentorial region;
- Time from symptom onset or last known well to baseline CT ranging from 3 to 24 hours;
- Atorvastatin treatment can be initiated within 48 hours of symptom onset or last known well;
- ... and 3 more (see full listing online)

Exclusion (7)

- ICH secondary to trauma, tumor, aneurysm, arteriovenous malformation (AVM), vascular anomaly, hemorrhagic transformation of infarction, cerebral venous thrombosis, or anticoagulant-related ICH;
- Patients who have undergone or are scheduled for immediate surgical intervention;
- Pregnancy or lactation;
- Use of oral anticoagulants within 1 month prior to symptom onset;
- Pre-stroke mRS ≥ 1 ;
- ... and 2 more (see full listing online)

Locations (22 total)

Anqing First People's Hospital of Anhui Province, Anqing, Anhui, China
Fuyang City Sixth People's Hospital, Fuyang, Anhui, China
Fuyang Hospital of Anhui Medical University, Fuyang, Anhui, China
... and 19 more locations