

Concurrent Versus Sequential Administration of Tdap and RSV Vaccines in Pregnancy

NCT07097012

Status	RECRUITING
Phase	Phase 4
Sponsor	Canadian Immunization Research Network
Enrollment	60 participants

Key Eligibility Criteria

Inclusion (2)

- Healthy pregnant individuals with a singleton pregnancy aged 18-49 years.
- Gestational age 28-29+6 WG at time of study screening, enrolment and randomization as per documented first trimester (less than or equal to 13+6 WG) ultrasound, or the first date of last menstrual period if ultrasound not obtained in the first trimester, or the age of the embryo and the date of transfer if pregnancy resulted from assisted reproductive technology.

Exclusion (25)

- Informed consent read, understood and signed prior to study-specific procedures.
- Any of the following:
 - Receipt of RSV vaccine anytime.
 - Receipt of immunoglobulins (except Rho D) within 1 year prior to vaccination.
 - Documented receipt of pertussis vaccine within 2 years prior to vaccination.

... and 20 more (see full listing online)

Locations (4 total)

Vaccine Evaluation Center, Vancouver, British Columbia, Canada
Canadian Center for Vaccinology, Halifax, Nova Scotia, Canada
The Ottawa Hospital Research Institute, Ottawa, Ontario, Canada
... and 1 more locations