

# Effect of Chronic Exposure to Nextida GC-B on Glycemic Control in Adults With Normoglycemia or Prediabetes

NCT07149064

---

Status	RECRUITING
Phase	Not Applicable
Sponsor	Rousselot BVBA
Enrollment	60 participants

## Key Eligibility Criteria

---

### Inclusion (17)

- Males and females 18 years and older
- BMI of 25 to 34.9 kg/m<sup>2</sup>, inclusive
- Females not of child-bearing potential, defined as those who have undergone a sterilization procedure (e.g. hysterectomy, bilateral oophorectomy, bilateral tubal ligation, complete endometrial ablation) or have been post-menopausal for at least 1 year prior to screening
- Or,
- Individuals of child-bearing potential must have a negative baseline urine pregnancy test and agree to use a medically approved method of birth control for the duration of the study. All hormonal birth control must have been in use for a minimum of three months. Acceptable methods of birth control include:

... and 12 more (see full listing online)

### Exclusion (27)

- Individuals who are pregnant, breast feeding, or planning to become pregnant during the study
- Allergy, sensitivity, intolerance, or dietary restriction preventing consumption of investigational product, placebo or standardized meal ingredients
- Metal implants or other physical characteristics/limitations that may affect DEXA scan results as assessed by the QI
- Poor venous access as assessed by the QI
- Current use of prescribed and/or over-the-counter (OTC) medications, supplements, and/or consumption of food/drinks that may impact the efficacy and/or safety of the investigational product (Section 7.3)

... and 22 more (see full listing online)

## Locations (1 total)

---

KGK Science Inc., London, Ontario, Canada