

Prospective Registry for Long-term Outcomes Following FETO in Severe Left and Right CDH

NCT07166172

Status	RECRUITING
Phase	Not Applicable
Sponsor	Johns Hopkins University
Enrollment	80 participants

Key Eligibility Criteria

Inclusion (10)

- Pregnant women who are able to consent
- Singleton pregnancy
- Normal Karyotype, chromosomal microanalysis (CMA) with non-pathologic variants, whole exome sequencing (WES) or whole genome sequencing (WGS) . Results by fluorescence in situ hybridization (FISH) will be acceptable if the patient is ≥ 26 weeks
- Gestational age at enrollment is prior to 296 wks.
- Intrathoracic liver herniation
- ... and 5 more (see full listing online)

Exclusion (16)

- History of natural rubber latex allergy
- Preterm labor, cervix shortened (<20 mm at enrollment or within 24 hours of FETO balloon insertion procedure) or uterine anomaly strongly predisposing to preterm labor, placenta previa.
- Psychosocial ineligibility, precluding consent:
- Inability to reside within 30 minutes of Johns Hopkins Hospital Center for Fetal Therapy.
- The patient does not have a support person (e.g., spouse, partner, mother) available to stay with the patient for the duration of the pregnancy at Johns Hopkins Hospital Center for Fetal Therapy.
- ... and 11 more (see full listing online)

Locations (1 total)

Johns Hopkins Hospital, Baltimore, Maryland, United States