

Bridging Technique Validation for Nasolabial Folds JN-BRIDGE-1

NCT07178119

Status	RECRUITING
Phase	Not Applicable
Sponsor	Dr. Joseph M Novoa Libermann
Enrollment	60 participants

Key Eligibility Criteria

Inclusion (10)

- Adults aged 30 to 65 years, inclusive, at the time of screening.
 - Male or female, able and willing to comply with study procedures.
 - Presence of visible bilateral nasolabial folds (NLF), each with a score of 2 or higher on the Nasolabial Fold Severity Scale (NLFSS), as assessed by the Principal Investigator.
 - Willing to undergo facial dermal filler treatment using the Bridging Technique with AILEENE Vol. 2.
 - In generally good health, without uncontrolled chronic illness or active skin disease that could interfere with treatment or healing.
- ... and 5 more (see full listing online)

Exclusion (8)

- Known allergy or hypersensitivity to hyaluronic acid (HA), lidocaine, or any component of AILEENE Vol. 2.
 - History of severe allergic reactions, anaphylaxis, or allergy to local anesthetics.
 - Prior use of dermal fillers, permanent implants, or other cosmetic procedures in the NLF area or lower face within the past 12 months.
 - Use of botulinum toxin, chemical peels, laser, radiofrequency, or cryotherapy in the mid- or lower face within the last six months.
 - Active skin infection, inflammation, herpes simplex (cold sore), acne, or other dermatologic condition in the treatment area.
- ... and 3 more (see full listing online)

Locations (1 total)

JNL Aesthetics Limited, Warrington, Cheshire, United Kingdom