

Catalyzing Cigarette Smoking Cessation Through Harm Reduction Sampling Among People Unmotivated to Quit

NCT07199517

Status	RECRUITING
Phase	Not Applicable
Sponsor	Abramson Cancer Center at Penn Medicine
Enrollment	472 participants

Key Eligibility Criteria

Inclusion (6)

- Able to communicate fluently in English (i.e., speaking, writing, and reading)
 - Male and female smokers who are \geq 21 years of age and self-report smoking at least 5 cigarettes (menthol and/or non-menthol) per day for at least the last 6 months.
 - Have a carbon monoxide (CO) greater than or equal to 10 ppm
 - Not using any forms of nicotine regularly other than cigarettes.
 - Not interested in quitting smoking in the next 30 days.
- ... and 1 more (see full listing online)

Exclusion (18)

- Smoking Behavior
 - Regular use of nicotine-containing products other than cigarettes (e.g., chewing tobacco, snuff, snus, cigars, e-cigs, IQOS, ONPS, etc.).
 - Current or impending (during the study period) enrollment or plans to enroll in a smoking cessation program.
 - Current use of smoking cessation medication.
 - Provide a CO breath test reading less than 10 ppm at Intake.
- ... and 13 more (see full listing online)

Locations (1 total)

University of Pennsylvania, Philadelphia, Pennsylvania, United States