

CRP and Patient Information Leaflets to Optimise Antibiotic Treatments for Adults With Respiratory Tract Infections in Primary Care in Kyrgyzstan

NCT07261969

Status	RECRUITING
Phase	Not Applicable
Sponsor	Rigshospitalet, Denmark
Enrollment	1,050 participants

Key Eligibility Criteria

Inclusion (9)

- Adults aged 18 to 70 years with ARTI according to the attending HCW;
- Having at least one of the following respiratory symptoms lasting for less than 2 weeks (with or without a fever):
- cough;
- shortness of breath;
- sore throat;
- ... and 4 more (see full listing online)

Exclusion (7)

- Severely ill and in need of urgent referral where measurement of POCT CRP is not relevant or would delay the process;
- Terminally ill patients;
- Patients with known immunosuppression or severe chronic disease (HIV, liver failure, kidney failure, history of neoplastic disease, long term systemic steroid use or similar conditions as assessed by the health worker or research team);
- Patients who are not able to participate in follow-up procedures (lack of telephone etc.);
- Have taken antibiotics within 24 hours before the index consultation;
- ... and 2 more (see full listing online)

Locations (2 total)

Sokuluk Family Medicine Center, Sokuluk Village, Chui Region, Kyrgyzstan
Azim Azhybek uulu, At-Bashy Village, Naryn Region, Kyrgyzstan