

Atropine in the Treatment of Myopia Study in Malaysia

NCT07329777

Status	RECRUITING
Phase	Phase 3
Sponsor	IDB VisionCare SDN BHD
Enrollment	144 participants

Key Eligibility Criteria

Inclusion (13)

- Male or female children between 5 to 10 years of age.
- Children with refractive error of spherical equivalent -1.00 D up to -6.00 D in each eye.
- Children with active myopia progression of at least spherical equivalent -0.50 D within the last 12 months.
- Children with astigmatism of less than -1.50 D
- Children having distance vision correctable to logMAR 0.2 or better in both eyes.

... and 8 more (see full listing online)

Exclusion (12)

- History of hypersensitivity or allergy to study drug and/or any of the study medication ingredients.
- Children with prior and/or concomitant use of other myopia control drugs, contact lens or spectacles (except normal spectacles including tinted/anti-glare glasses) etc.
- Children with congenital myopia.
- Children using Ortho K and Myopia Lens.
- Children with ocular or systemic diseases which may affect vision or refractive error.

... and 7 more (see full listing online)

Locations (2 total)

Hospital Pakar Kanak-Kanak UKM, Kuala Lumpur, Cheras, Malaysia
Universiti Malaya Medical Centre, Kuala Lumpur, Petaling Jaya, Malaysia