

An Evaluation of Myopia Control Lenses on Wearing Experience in Myopic Children

NCT07354945

Status	RECRUITING
Phase	Not Applicable
Sponsor	Essilor International
Enrollment	40 participants

Key Eligibility Criteria

Inclusion (8)

- Volunteer participant
 - Informed consent of parent/guardian and assent of participant
 - Age equal to or greater than 6 years and not older than 12 years at the time of signing informed consent and assent
 - Spherical equivalent refraction (SER) by cycloplegic autorefraction equal or less than -0.50 D and equal or greater than -4.75D with astigmatism not more than 2.00 D on both eye
 - Difference in SER (anisometropia) between two eyes should not exceed 1.50 D
- ... and 3 more (see full listing online)

Exclusion (9)

- History of Atropine, Orthokeratology, or Red Light treatment
 - Strabismus by cover test at near or distance wearing correction
 - Amblyopia
 - Any ocular or systemic condition known to affect refractive status (e.g. keratoconus, diabetes, Downs syndrome, or other developmental disorders, etc.)
 - Current use of ocular or systemic medications which, in the investigator's opinion, may significantly affect pupil size, accommodation or refractive state
- ... and 4 more (see full listing online)

Locations (1 total)

Shanghai Meishimeijing Ophthalmology Clinic Co., Ltd., Shanghai, Shanghai Municipality, China