

Efficacy and Safety of a Botanical Total Coumarin (TC) Cream in Treating Patients With Psoriasis Vulgaris (PLANTCOAT-III)

NCT07426120

Status	RECRUITING
Phase	Phase 3
Sponsor	Psoriasis Research Institute of Guangzhou
Enrollment	300 participants

Key Eligibility Criteria

Inclusion (7)

- Age of 18-70 years old. Both men and women, and members of all races and ethnic groups
- Consistent with the diagnostic criteria of stable phase psoriasis vulgaris, and have at least two target lesions suitable for evaluation
- Women of childbearing age must be using birth control strategies defined by one of the following: 1) a barrier method (condom) and/or 2) oral contraceptives, during the 8-week study period.
- ISGA score e 2 (at least mild severity)
- BSA (stable stage group): 1% to 20%
... and 2 more (see full listing online)

Exclusion (12)

- Subjects in pregnancy, preparing for pregnancy, or breastfeeding
- History of hyperergic or photosensitivity
- History of complicated cardiovascular diseases, cerebrovascular diseases, severe primary diseases of the hepatic, kidney, and hematopoietic system, or patients with psychiatric disorders
- History of photosensitive diseases such as porphyria, chronic actinic dermatitis, Xeroderma pigmentosa
- Within 4 weeks prior to randomization, patients have taken treatment with the following approved or investigational psoriasis therapies on the target lesions:
... and 7 more (see full listing online)

Locations (1 total)

Department of Dermatology, SUNY Downstate Health Sciences University, New York, New York, United States