

Mesenchymal Stem Cells (MSCs) and Conditioned Medium Mesenchymal Stem Cells as Adjuvant Therapy for Sepsis

NCT07439848

Status	RECRUITING
Phase	Phase 1, Phase 2
Sponsor	PT. Prodia Stem Cell Indonesia
Enrollment	15 participants

Key Eligibility Criteria

Inclusion (3)

- Male or female at least 40 years old when the Informed Consent Form (ICF) is signed by the family, as evidenced by an identity card.
- Patients with severe ARDS according to Berlin criteria
- Families are willing to participate in clinical trial procedures including not participating in other clinical trials for the duration of participation.

Exclusion (6)

- A pregnant woman is proven by a pregnancy test.
- The results of the SGOT or SGPT examination increased > 5 times the upper limit of the normal laboratory value in the hospital.
- Estimated glomerular filtration rate (eGFR) < 30 ml/min, including patients undergoing routine hemodialysis.
- Having more than 2 of the following co-morbidities; hypertension, diabetes, chronic heart disease, chronic lung disease, COPD, asthma, tuberculosis, cancer, chronic kidney disease, immunosuppressive disease, HIV.
- The results of the lipid profile are far above normal (what is the cut off number?). Normal cholesterol levels for women aged 20 years and over are 125-200 mg/dL with LDL below 100 mg/dL and HDL above 40 mg/dL. It is said to have high cholesterol when the level in the blood reaches more than 239 mg/dL. Normal cholesterol levels for men aged 20 years or older are 125-200 mg/dL with LDL below 100 mg/dL and HDL above 40 mg/dL. It is said to have high cholesterol when the level in the blood reaches more than 239 mg/dL.

... and 1 more (see full listing online)

Locations (1 total)

RSPAD Gatot Soebroto, Jakarta Pusat, DKI Jakarta, Indonesia